

KULEFEYEV, G.P., inzh.

Electrification of agriculture in France. Mekh. i elek. sets.
sel'khoz. 17 no.2:52-56 '59. (MIRA 12:6)
(France--Electricity in agriculture)

AULETNEY, G.P. - 1981.

Electrification of agriculture in France. 1981. 1 vol. 100 p. 10 cm.

1/2 in. 1/2 in. 1/2 in.

(For general use in agriculture)

(HIA 12:11)

KULEFEYEV, G.P.

Farm electrification in European countries. Mekh. i elek. sots.
sel'khoz. 19 no.2:58-59 '61. (MIRA 14:3) v
(Europe---Electricity in agriculture)

KULEFYEYEV, Gennadiy Petrovich; NIKITINA, V.M., red.; DEYEVA, V.M.,
tekhn. red.

[Electrification of agriculture in England and Ireland]
Elektrifikatsiia sel'skogo khoziaistva Anglii i Irlandii.
Moskva, Sel'khozizdat, 1962. 93 p. (MIRA 15:7)
(Great Britain—Electricity in agriculture)
(Ireland—Electricity in agriculture)

KULEFEYEV, G.P., inzh.

Rural electrification should be based on a reliable supply of
electric power. Energetik 11 no.2:1-5 F '63. (MIRA 16:3)
(Rural electrification)

ALYESHEV, M.Ya.; BUDZKO, I.A.; ZLATKOVSKIY, A.P.; KRASHOV, V.S.;
KULEPEYEV, G.P.; RYZHENKO, I.Ya.; SYROMYATNIKOV, I.A.;
TEVOSYAN, T.A.; EBIN, L.Ye.

A.M. Sarkisian; obituary. Elektrichestvo no.5:94 My '63.
(MIRA 16:7)
(Sarkisian, Andranik Margarovich, 1904-1963)

KULIEJEWSKA, Magdalena; KWIEK, Stanislaw

Adaptation of Mycobacterium tuberculosis H₃₇Rv to isonicotinic acid hydrazide. Gruzlica 22 no.7:457-460 July 54.

1. Z Oddzialu Bakteriologii Instytutu Gruzlicy. Kierownik: dr Maria Buraczewska. Dyrektor: prof. dr J. Misiewicz.

(MYCOBACTERIUM TUBERCULOSIS, effect of drugs on, isoniazid, adaptation)

(NICOTINIC ACID ISOMERS, effects, isoniazid, on M. tuberc., adaptation)

JANOWIEC, Mieczyslaw; KULEJEWSKA, Magdalena

Effects of cyanoacetic acid hydrazide (CAH) on experimental tuberculosis in guinea pigs. Gruzlica 24 no.1:9-14 Jan 56.

1. Z Zakladu Mikrobiologii Instytutu Gruzlicy w Warszawie.
Kierownik: doc. dr. M. Buraczewska. Dyrektor: prof. dr. med.
J. Misiewicz, Warszawa, ul. Plocka 26.

(TUBERCULOSIS, exper.

eff. of cyanoacetic acid hydrazide in guinea pigs.

(ACETIC ACID, deriv.

cyanoacetic acid hydrazide eff. on exper. tuberc. in guinea pigs.

MASSALSKI, Wandalin; KULEJEWSKA, Magdalena

Effect of ACTH in experimental tetanus. Polski tygod. lek.
12 no.7:252-254 11 Feb 57.

1. (Z Instytutu Doskonalenia i Specjalizacji Kadr Lekarskich;
dyrektor: prof. dr. W. Hartwig i z Zakładu Mikrobiologii Instytutu
Gruzlicy; dyrektor: prof. dr. J. Misiewicz; kierownik Zakładu:
doc. dr. M. Buraczewska). Adres: Warszawa, ul. Plocka 26, Instytut
Gruzlicy.

(TETANUS, exper.

eff. of ACTH in mice (Pol))

(ACTH, eff.

on exper. tetanus in mice (Pol))

KULEJEWSKA, Magdalena

Catalase activity of tubercle bacilli resistant & susceptible to isoniazid & streptomycin, determined by the Middlebrook method & personal modification of the method. Gruzlica 25 no.8:629-635 Aug 57.

1. Z Zakładu Mikrobiologii Instytutu Gruzlicy w Warszawie Kierownik: doc. M. Buraczowska Dyrektor: prof. J. Misiewicz.

(MYCOBACTERIUM TUBERCULOSIS

catalase activity of bacilli resist. & susceptible to isoniazid & streptomycin (Pol))

(CATALASE, determ.

in M. tuberc. resist. & susceptible to isoniazid & streptomycin (Pol))

KULEJEWSKA, Magdalena; PICHULOWA, Krystyna

Comparison of lyophilized Sula's medium with Loewenstein-Jensen's medium.
Gruzlica 27 no.2:161-163 Feb 59.

1. Z Zakladu Mikrobiologii Instytutu Gruzlicy w Warszawie Kierownik:
doc. dr M. Buraczewska Dyrektor: prof. dr J. Misiewicz. Adres:
Warszawa, Plocka 26.

(TUBERCULOSIS, PULMONARY, culture,

Loewenstein-Jensen's & Sula's media, comparison in
detection of bacilli (Pol))

(CULTURE MEDIUMS,

Loewenstein-Jensen & sula's media, comparison in detection
of M. tuberc. (Pol))

KULEJEWSKA, Magdalena

Value for the diagnosis of tuberculosis of biological tests performed on white mice and guinea pigs. Gruzlica 27 no.5:387-395 '59.

1. Z Zakładu Mikrobiologii Instytutu Gruzlicy w Warszawie. Kierownik: doc.dr M. Buraczewska, dyrektor: prof.dr J. Misiewicz[deceased]/
(TUBERCULOSIS diagnosis)

PECYNA, Janina; CISZEK, Jan; KULEJEWSKA, Magdalena; LACHOWICZ, Danuta;
ROWINSKA, Ewa

Clinical course of pulmonary tuberculosis in the established
bacillary resistance to INH. Gruzlica 28 no.6:451-461 Je '60.

1. Z Oddzialow Gruzlicy Kierowicy: doc. dr J.Madey i dr B.Kampioni
i z Zakladu Mikrobiologii Kierownik: doc. dr M.Buraczewska
Instytutu Gruzlicy Dyrektor: prof. dr J.Misiewicz [deceased]
(ISONIAZID ther)

KULEJEWSKA, Magdalena

Utilization of various carbon and nitrogen sources by acid-fast
bacilli. Gruslica 30 no.5:417-422 '62.

(MYCOBACTERIUM TUBERCULOSIS metab) (NITROGEN metab)
(CARBON metab)

KURYLOWICZ, Włodzimierz; BURACZEWSKA, Maria; KOSTRZENSKI, Władysław;
KULEJEWSKA, Magdalena; MANOWSKA, Wanda; MERKEL, Mieczysława;
PICHULA, Krystyna, PAKLEWSKA-POBRATYN, Hanna; TUSZYŃSKA, Barbara.

Comparative studies on BCG substrains of various origin. Observations on the streptomycin and isonicotinic acid hydrazide-sensitive and resistant variants of the Brazilian Moreau substrain. Arch. immun. ther. exp. 12 no.2:182-195 '64

1. Department of Microbiology, Institute of Tuberculosis, Warsaw.

CHWALIFOG, Barbara; PAKLERSKA-POBRATYN, Hanna; SZYMANSKA, Danuta; KULEJEWSKA, Magdalena

Possible sterilization of tuberculous pulmonary lesions with the aid of antitubercular drugs. Gruzlica 32 no.7:473-482 Je '64.

1. Z Oddzialu IC (Kierownik: doc. dr J. Madey) ; Z Oddzialu VIII (Kierownik: doc. dr J. Nowicki); Z Zakladu Mikrobiologii (Kierownik: doc. dr M. Buraczewska) i Z Zakladu Patologii (Kierownik: prof. dr S. Chodkowska), Instytutu Gruzlicy

CHATYS-SKIRYNSKA, Halina; FULEWSKA, Magdalena; PALENSKA-POBFATIN,
Hanna.

The value of bacteriological examinations in tuberculosis of the
genital organs. Gruzlica 33 no.1:21-30 Ja '65

1. Z Oddziału Położniczo-Ginekologicznego (Kierownik: dr. med.
J. Rusakowski) i z Zakładu Mikrobiologii Instytutu Gruźlicy
w Warszawie (Kierownik: doc. dr. M. Buraczewska).

KULEJEWSKI, S.

TECHNOLOGY

Periodicals: NORMALIZACJA. Vol. 26, no. 2, Feb. 1958

KULEJEWSKI, S. Neglecting the standardization of wagons for new mines. p. 70

Monthly List of East European Accessions (EEAI) LC, Vol. 8, No. 2,
February 1959, Unclass.

KULEJEWSKI, Stanislaw

"Regulations on the technical operation of salt mines." Reviewed
by Stanislaw Kulejewski. Przegl gorn 17 no.5:309-310 My 1961.

KULEJEWSKI, Stanislaw, mgr inz.

Problem of so-called user standards for solid fuels and
standards for furnaces. Gosp paliw 12 no. 1: 21-22 Ja '64.

69 7

Reducing power of dextrose in Fehling solution at various alkalinities, various periods of heating and various dextrose concentrations. M. D. Khadzhev and Kr. Kulehev. *Ann. univ. Sofia* 10, 467-82 (1962 in German) (1962) - The results of an investigation of reducing power of dextrose on Fehling soln. at various alkalinities (N 0.15, 1.50, 4 and 0.78), at various dextrose concns. (20, 40, 50, 60, 80 and 100 mg.) and various periods of boiling (1, 3, 5, 10 and 5, 10, 15 and 20 min.) are given in 14 tables. The reducing power increases with increasing duration of heating; it decreases with increasing dextrose concn. The duration of heating is of less influence in more concd.

dextrose solns. The reducing power increases with increasing alkyl. up to a certain limit and then decreases
Jaroslav Kučera

ASR 51.4 DETAILING LITERATURE CLASSIFICATION

KULF LEEV, R.

SECRET

20

D. Shiskov, R. Ind. and R. Kulev and

RODELIEV, Krastyu
SOFIA (in caps); Given Names

Country: Bulgaria

Academic Degrees: not indicated

Affiliation: not indicated

Source: Sofia, Biologiya i Khimiya, No 1, 1961, pp44-46

Data: "The History of Chemical Nomenclature in Bulgaria Until
the Liberation (1878)."

KULELIEV, Kr.

SOURCE (In caps); Given Names

Country: Bulgaria

Academic Degrees: Professor

Affiliation: not indicated

Source: Sofia, Biologiya i Khimiya, No 2, 1961, pp 53-55

Data: "The History of Chemical Nomenclature in Bulgaria After
the Liberation (1878)."

KULELIEV, Kr.

History of the chemical nomenclature in Bulgaria after the liberation, 1878. Biol i khim 4 no.5:54-55 '61.

(Chemistry)

KULELIEV, Krustiu, prof.

Brief bibliography of the first Bulgarian literature of chemistry.
Biolog i khim no.6:49-51 '61.

KULELIEV, Kr.; KOSTOV, B.

Geochemical investigations in the Radnovo gypsiferous region.

II. ~~Origin of lime concretion.~~ Godishnik Min. geol inst
7 no.1:221-239 '60/'61.

KULELIEV, Kr.; KOSTOV, B.

Geochemical studies in the Radnevo gypsiferous region.
Godishnik Min geol inst 7:9-21 '60/'61 [publ. '62].

PENEV, Angel; KULELIEV, Krustiu

From the history of teaching chemistry in Bulgaria. Biol i khim
6 no.6:48-59 '63.

KULELIEV, Kr., prof.

Gypsum of the Thracian Plain. Min. delo 18 no.4:5-8 Ap'63

1. Minno-geolozhki institut, Sofia.

KULELIEV, Krustiu, prof.

Vasil P. Ognianov, 1882-1955. Biol i khim 7 no. 3:46-48 '64.

KULELIEV, Krust'o, prof.

Twenty years of education in chemistry. Khim i industriia 36
no.6:201-202 '64.

KULELIEV, Krustiu Iord., prof.

Geochemical studies in the Radnevo gypsiferous region. Pt. 4.
Godishnik Min geol inst 9:335-346 '62-'63[publ. '64].

KULELIEV, Kkrustiu Iord., prof.; BRUNKIN, K.As.; CHOLAKOVA, Danka St.

Geochemical studies in the Merichleri and Kalugerovo gypsiferous regions. Godishnik Min geol inst 9:347-361 '62-'63[publ. '64]

DITMAR, A.B., otv.red.; BOGACHEV, V.K., red.; BYTEV, O.N., red.;
IVANOV, A.N., red.; KULEMIN, A.A., red.; YAKOVLEV, K.F.,
red.; PUKHOVTSEVA, A.N., red.; KOZHEMYAKINA, V.P., tekhn.red.

[Nature and economy of Yaroslavl Province] Priroda i kho-
ziaistvo IAroslavskoi oblasti. IAroslavl', IAroslavskoe
knizhnoe izd-vo. Pt.1. [Nature] Priroda. 1959. 381 p.
(MIRA 13:3).

1. Yaroslavl'. Gosudarstvennyy pedagogicheskiy institut.
(Yaroslavl Province--Geography)

KULEMIN, A.A.; MAKKOVEYEVA, I.I.

Characteristics of the distribution of commercial vertebrates in
Yaroslavl Province and methods for their protection and reproduction.
Dokl. na nauch. konf. 1 no.4:58-64 '62. (MIRA 16:8)
(Yaroslavl Province--Vertebrates)

L 4403-66 EWT(d)/EEC(k)-2
ACCESSION NR: AP5024168

UR/0115/65/000/008/0025/0027
621.317.772.029.51

AUTHOR: Koltik, Ye. D.; Taube, B. S.; Kulemin, A. A.

TITLE: The F-200 ^{rb}phasometric device

SOURCE: Izmeritel'naya tekhnika, no. 8, 1965, 25-27

TOPIC TAGS: phase shift analysis, instrument calibration equipment, phase meter (0)

ABSTRACT: Research done at the VNIIM im. D. I. Mendeleyeva on precise methods of reproducing phase shifts between two variables showed that for an accuracy of $\pm (0.1-0.05^\circ)$ the frequency range of phase calibrators with cathode-ray tubes can be expanded to 200-300 kc without frequency conversion. The basic circuit of the proposed F-200 phasometric device is given and its operation is described. The device can be used not only for calibrating or checking phase meters within $0.1-0.05^\circ$, but also for testing passive and active electric networks. In the presence of a frequency converter, the input voltages can be converted to an audio frequency range. Orig. art. has: 1 figure.

ASSOCIATION: none

[08]

Card 1/2

L 1403-66

ACCESSION NR: AP5024168

SUBMITTED: 00

ENCL: 00

SUB CODE: EC

NO REF SOV: 000

OTHER: 000

ATD PRESS: 4125

Card 2/2

KULEMIN, D.

With the help of newspapers and radio. Fin.SSSR 18 no.6:65
Je '57. (MIRA 10:12)

1. Zaveduyushchiy tsentral'noy sberegatel'noy kassoy No.10,
G. Ivanov.

(Ivanovo--Advertising--Savings banks)

KULEMIN, P. D.

BLYUMENTAL', R.M.; GIRICH, A.I.; GONCHARIK, A.K.; GUSEVA, T.P.; ZHITKOVA,
L.A.; IOFFE, A.M.; KULEMIN, P.D.; LEVINA, L.I.; OSHKIN, P.A.;
PAPROTSKIY, T.V.; RYAKHINOV, A.N.; SAMSONOV, N.A.; TULAYKOV, V.N.;
USTINOV, I.M.; FAYN, B.P.; SHIFRIN, D.L.; KOLOTILOV, Vasil'y
Ivanovich, red.; SVYATITSKAYA, K.P., vedushchiy red.; TROPIMOV,
A.V., tekhn.red.

[Equipment for the petroleum industry] Neftianoe oborudovanie.
Vol. 5 [Petroleum valves and fittings] Neftianaya armatura. Moskva,
6on. nauchno-tekhn. izd-vo neft. i gorno-toplivnoi lit-ry. 1958.
247 p. (MIRA 12:1)

(Petroleum industry--Equipment and supplies)

BIRYUKOV, N.O.; ZHURKINA, E.G.; KRUG, Ye.K.; KULEMIN, V.I.;
PCHELINTSEVA, M.D.; KHRAMOY, A.V.; SHORINA, A.A.;
SEMENOVA, A.A., red.izd-va; SHEVCHENKO, G.N., tekhn.red.

[Russian-English-German-French dictionary of terms on
automatic control] Russko-anglo-nemetsko-frantsuzskii slovar'
terminov po avtomaticheskomu upravleniiu. Pod red. A.V.
Khramogo. Moskva, Izd-vo AN SSSR, 1963. 229 p.

(MIRA 16:9)

1. Akademiya nauk SSSR. Institut avtomatiki i telemekhaniki.
(Automatic control--Dictionaries)
(Russian language--Dictionaries--Polyglot)

KULEMIN, V.V.

Two cases of intestinal obstruction caused by Meckel's diverticulum.
Nov.khir.arkh, no.2:74 Mr-Apr '57. (MIRA 10:8)

1. Kafedra obshchey khirurgii Ivanovskogo meditsinskogo instituta
(INTESTINES--ABNORMITIES AND DEFORMITIES)

"APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000927410008-0

APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000927410008-0"

KULEMINA, D.V.

Formation of a highly productive population of alfalfa
with a branched inflorescence. Vop. biol. i kraev. med,
no.4:83-87 '63. (MIRA 17:2)

KULEMINA, D.V.

Forage and seed yields of alfalfa with branched inflorescence.
Vop.biol.i kraev.med. no.3:132-134 '62. (MIRA 16:3)
(ALFAIFA)

POLYANSKIY, Yu.I.; KULEMINA, I.V.

Parasites of young cod in the Barents Sea. Vest. IGU 18
no.15:12-21'63. (MIRA 16:9)
(BARENTS SEA--PARASITES--CODFISH)

FOLYANSKY, G. I.; RULEMINA, I. V.

"La parasitofaune des menus poissons d'eau douce."

report submitted for 1st Intl Cong, Parasitology, Rome, 21-26 Sep 1964.

Lab of Zoology, Leningrad Univ.

KULEMINA, I. V.

Occurrence of the plerocercoid *Linobothrium* (Cestoda, Phyllobothriidae)
in a young cod of the Barents Sea. Vest. IGU 19 no. 9:20-25 '64.
(MIRA 17:7)

SFLIN, M.Ye.; LAVRUKHIN, D.S.; KULEMINA, I.B.

Adsorption by NaA zeolites from alcohol-water solutions.
Koll. zhur. 26 no.4:502-505 JL-Ag '64. (MIRA 17:9)

KULEMINA, M.A.

Classification of water-borne epidemics of typhoid fever. Zhur.
mikrobiol.epid. i immun. 27 no.11:75-79 N '56. (MLRA 10:1)

1. Iz Tsentral'nogo instituta usovershenstvovaniya vrachey.
(TYPHOID FEVER, epidemiology,
classif. of water-borne epidemics (Rus))

KULEMINA, N.M.

Investigating the stream-bed processes of the Markha River.
Trudy GOI no.69:70-92 '59. (MIRA 12:6)
(Markha River--Hydrology)

KULEMKIN, P.

Round pit silos made of slabs. Sel'.stroitel' no.7:6-7 J1 '56.
(MIRA 9:9)

1. Starshiy inzhener Yaroslavskego oblastnogo upravleniya po
streitel'stvu v kolkhosakh.
(Yaroslavl Province--Silos) (Reinforced concrete construction)

KULEMZIN, Gerol'd Terent'yevich; MULDAGULOV, Brimzhan Abubakirovich,
inzh.-mekhanik; ORLOVSKAYA, A., red.; NAGIBIN, P., tekhn.
red.

[Mechanized growing of potatoes and vegetables] Mekhanizirovanoe vozdeleyvanie kartofelia i ovoshchei. Alma-Ata, Kazsel'khozgiz, 1963. 83 p. (MIRA 17:2)

MAGORNYY, A.I.; SHEGLOVA, A.G.; KULEZIN, K.M.; SHUKKERT, V.A.;
KORNIYENKOV, N.K.; TKACHENKO, D.I.

Manufacture of glazed products at a brick plant. Stroi. mat.
11 no.7:6 JI '65. (MIRA 18:8)

1. Alma-Atinskiy nauchno-issledovatel'skiy institut stroitel'nykh
materialov (for Nagornyy, Sheglova, Kulezin). 2. Karagandinskiy
kirpichnyy zavod No.3 (for Shukkert, Korniyenkov, Tkachenko).

NAGORNIY, A.I., kand.tekhn.nauk; BRAGIN, B.A., inzh.; MARKONRENIKOV, Yu.A., inzh.;
KULEMZIN, K.N., inzh.; BELOBORODOVA, S.S., inzh.

Effect of additives on the crystallization of molten metallurgical
slags and rock materials. Stek. i ker. 22 no.3:7-11 Mr '65.

(MIRA 18:10)

1. Alma-Atinskiy gosudarstvennyy nauchno-issledovatel'skiy
institut stroitel'nykh materialov.


SAMOFALOV, N.I., inzh.-mekhanik; KULEMZINA, I.T., red.

[Highly efficient use of machinery on state farms in
virgin lands] Vysokoproizvoditel'noe ispol'zovanie
tekhniki v tselinnykh sovkhozakh. Moskva, Kolos, 1964.
127 p. (MIRA 18:2)

EXCERPTA MEDICA Ser 2 Vol 12/2 Physiology Feb 59

579. LIPOPROTEIN AND PROTEIN FRACTIONS - Příspěvek k otázce vztahu lipoproteinových a bílkovinných frakcí - Kulenda Z. and Vondráček L. Úst. Lab. KÚNZ, Ústí, n.L. - VNITŘNÍ LÉK. 1958, 4/7 (629-631) Illus. 1

Differences of electrophoretic mobility are described and a possible explanation is suggested.



DUB, Ota; KULENDA, Zdenek

Rapid determination of glycosuria not requiring flame & solutions. Cas.
lek. cesk. 97 no.34:1077-1078 22 Aug 58.

1. Interni oddeleni KUMZ v Usti n. L., prednosta Dr. O. Dub a Ustredni
laborator, prednosta Dr. Z. Kulenda.

(GLUCOSE, in urine

determ., rapid method not requiring flame & solutions
(Cz))

EE
CZECHOSLOVAKIA
EC

KULENDA, Z., MD; HORAKOVA, E.

Central Laboratory of the District Hospital, Usti nad
Labem; Head: Z. Kulenda, MD - (for all)

Berlin, Zeitschrift für medizinische Labortechnik, Vol IV,
No 4, 1963, pp 173-176.

"A Simple Method for the Semi-Quantitative Determination of
Pregnanediol by Using Thin Layer Chromatography."

(2)

KULENDIK, V.; KROUPA, J.

Pneumoarthrography in injuries of semilunar cartilage. Lek.listy
5 no.24:727-731 15 Dec 50. (GLML 20:5)

1. Of the Casualty Hospital of ONP in Brno (Head--Prof,Vladimir
Novak,M.D.).

KULENDIK, Vladimir MUDr; VASTNY, Vaclav MUDr

Experiences with treatment of spinal cord injuries. Rezhl.chir.
34 no.7:431-438 Aug 55.

1. Z Vyskumneho ustavu traumatologickeho v Brne: reditel prof.
MUDr Vl.Nevak

(SPINAL CORD, wounds and injuries
etiol., diag. & ther.)

(WOUNDS AND INJURIES
spinal cord, etiol., diag. & ther.)

KULENDIX, V., MUDr.; KROUPA, J., MUDr.

Acute traumatic dislocation of the hip. Acta chir. orthop. traum.
cesk. 23 no.5:259-265 Sept 56.

1. Vyzkumny ustav traumatologicky v Brne, reditel prof. Dr.
Vladimir Novak.

(HIP, disloc.

traum., acute, statist. & management (Cz))

(WOUNDS AND INJURIES, compl.

acute hip disloc., statist. & management (Cz))

KULENDIK, Vladimir

Personal experience with spinal cord injuries. Chir. narz. ruchu
22 no.4:453-454 1957.

1. Z Instytutu Traumatologicznego w Brnie. Dyrektor: prof. dr V. Novak,
Vyskumny ustav traumatologicky w Brne (Czechoslowacja).

(SPINAL CORD, wds. & inj.

caused by fract. of spine, surg., internal fixation &
early rehabil. (Pol))

(SPINE, fractures

causing spinal cord inj., surg., internal fixation &
early rehabil. (Pol))

CHYTILOVA, M.; PESA, K.; KULENDIK, V.; KULHANEK, V.; UHER, J.

Effect of different methods of preservation of homografts on healing of fractures. Comparison of immune indices with roentgenographic manifestations. Acta chir.orthop.traum.cech. 28 no.5:393-396 0 '61.

1. Vyzkumny ustav traumatologicky v Brne, reditel prof. MUDr. Vladimir Novak, Dr.Sc.

(FRACTURES exper) (BONE AND BONES transpl)

KULENIN, V.V.

Phlegmon of the stomach and the small intestine. Khirurgia no.4:
84 Ap '55. (MLRA 8:9)

1. Kafedra obshchey khirurgii Ivanovskogo meditsinskogo instituta.
(STOMACH--INFLAMMATION) (INTESTINES--DISEASES)

VASIL'YEV, L.I.; KULENKO, E.M.; KUZNETSOVA, N.Ya.

Determination of uropepsin in patients with diseases of digestive organs. Kaz. med. zhur. no.6:44-46 N-D '60. (MIRA 13:12)

1.Klinicheskaya bol'nitsa No 6 Mosgorzdravotdela (vlavvrach - I.N. Kurgannikov).

(UROPEPSIN)

(DIGESTIVE ORGANS--DISEASES)

KULENKO, V.A., inzhener.

Electronic circuit-step-switching of large high-voltage rectifiers. Vest. svyazi 17 no.4:29-30 Ap '57. (MIRA 10:5)
(Electric current rectifiers)

1ST AND 2ND CODES																										3RD AND 4TH CODES																									
PROCESSING AND PROPERTIES INDEX																																																			
<p>Hydrogen sulfide in the analysis of meat and fish products subjected to thermal treatment. M. I. Kulenok and G. A. Daal'berg. <i>Voprosy Pitaniya</i> 6, No. 5, 136-9 (in English 189) (1937).---When meat or fish products are heated, H₂S is given off. If a decrease in the amt. of H₂S is observed in 2 different analyses 3 hrs. apart, the origin of the H₂S is the thermal decompn. of proteins. If an increase is observed, the H₂S has arisen from putrefaction. N. A. Karala</p>																																																			
<p>ASB. S.L.A. METALLURGICAL LITERATURE CLASSIFICATION</p>																																																			
<p>3RD AND 4TH CODES</p>																																																			

Simple methods for the determination of the oxides of carbon in the air. M. J. Kulakov and G. G. Nasonov. *Soviet. Tekhnicheskaya Zhur.*, 41, 209 (1967), a chem. Zentr., 1968, I, 2261-2. A portable app. for the detn. of CO and C₂H₄ in the air is described. An attached pump serves as aspirator and records the amt. of air used for the analysis. The C₂H₄ detn. is based on its freedom from CO₂. Zeise's salt. The absorption vessel is freed from CO₂ by attaching a Drechsel flask contg. Na(OH)₂ and drawing out the air. Titrated Na₂C₂O₄ soln. is then placed in the absorption vessel and a definite amt. of air drawn through. The C₂H₄ is detd. by the difference in the Na₂C₂O₄ titer before and after phenolphthalein. The results differ from those obtained by the method of Reber only within the limits of permissible error. The detn. requires 10-15 min. The permittable error. The detn. requires 10-15 min. The permittable error. The detn. is based upon the method of Sakai. A definite detn. of CO is first freed from C₂H₄ by KOH, dried amt. of the air is first freed from C₂H₄ evolved to C₂H₄ with soda lime and H₂SO₄, and the CO evolved to C₂H₄ with soda lime. The liberated I₂ is absorbed in an absorption vessel with KI. The amt. of C₂H₄ thus formed from the vessel with KI, as above. The detn. of CO requires CO is then dried, as above. The detn. of CO by this method 20-30 min. The CO content as detd. by this method differs from that obtained by the stationary method by an abs. value of 0.007. The total app. for the detn. of CO and C₂H₄ weighs about 3 kg. including carrying case.
M. G. Moser

APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000927410008-0"

133 AND 140 CODES		PROCESSING AND PROPERTY INDEX		141 AND 142 CODES	
Ca				20	
<p>A modified method for the determination of the moisture content in plaster. M. I. Kulenok. <i>Lab. Prakt.</i> (U. S. S. R.) 16, No. 6, 10-17(1971).—The proposed method has several advantages over the Markl method. A sample of plaster with a heavy gasoline fraction or toluene is boiled in a flask equipped with a reflux condenser and a Grauber tube. The water is evaporated with gasoline in the form of an emulsion and collected in the Grauber tube. The excess gasoline is returned constantly to the flask. Place 10-20 g. of plaster in a Dean and Stark flask, add 100-200 ml. of gasoline or toluene (b. 103-25°) and heat on an air elec. bath or on an open flame so that approx. 2-3 drops per sec. are refluxed. The analysis is completed after the level of water in the Grauber tube is stabilized. Cool the app. and measure the vol. of water in the tube. The time required for the analysis is 30-40 min. The method produced accurate results. W. R. Henn</p>					
<p>ASB-51A METALLURGICAL LITERATURE CLASSIFICATION</p>					
<p>143 AND 144 CODES</p>					

12

A new method for determining the calorific value of food. M. I. Kulenok (Leningrad Pediatric Inst.). *Gigiena i Sanit.* 11, No. 4, 25-8(1946).—Methods were developed for detg. water content, dry residue, fat, and proteins in food. From these values the calorific value can be calcd. The detn. of water is based on the procedure of Dean and Stark. Boil a 15-20-g. sample with 100 cc. of toluene or kerosene (b. 105° or above) in a special app. consisting of a 500-cc. flask connected with the upper portion of a buret, the buret being also connected with a reflux condenser and filled with a NaCl soln. up to the zero mark. Distil slowly at a const. rate. The water runs down the sides of the buret into the salt soln.; read the vol. as soon as it becomes const. and the liquid is cooled. The detn. requires 30 min. as against the usual 6 hrs. The toluene or kerosene condensate from the water detn. contains all the fat of the sample. Filter, wash the residue with toluene or kerosene, and save for the protein detn. Measure the filtrate and distil the solvent from an aliquot in a weighed flask. Cool the flask for 10-15 min., dry in a desiccator, and calc. the

wt. of residue as fat. The detn. requires 1 hr. instead of the usual 8 hrs. For detn. of protein, subject the fat-free dry residue to Kjeldahl distn., dil. the distillate with 10 vols. of water, and to one tenth of the total vol. in a separatory funnel, neutralized with alkali, add 1 cc. of a 25% alc. thymol soln. and 5 cc. of NaBrO soln. (one vol. of a 2 N NaOH plus two vols. of bromine water). Let stand for 2-3 min., and add 10 cc. of xylene with stirring. Sep. the blue or green layer of xylene soln. and use for colorimetric detn. of NH_4^+ , using a standard 0.001 N $(\text{NH}_4)_2\text{SO}_4$ soln. for comparison. Calc. protein as $\text{N} \times 6.25$. The detn. requires one hr. as against 2 hrs. by the ordinary procedure. In the presence of phenols (such as thymol), free N is not liberated according to $2\text{NH}_4^+ + 3\text{NaBrO} = 3\text{NaBr} + 3\text{H}_2\text{O} + \text{N}_2$, but a dye is formed which is sol. in xylene or ether. Calc. ash as the total weight of the sample multiplied by 0.012. Calc. carbohydrates as the difference between wt. of the dry substance and the sum of protein, fat, and ash.

C. S. Shapiro

PROCESSES AND PROPERTIES INDEX

14
 Photocolorimetric iodometry in analysis of drinking water for sanitary purposes. M. I. Kulchuk. *Gigiena i Sanit.* 13, No. 11, 5-9 (1949). - Detn. of I: ext. the sample with several portions of CCl_4 or CHCl_3 and measure the color in a photometer with a green or blue filter; detns. are accurate well within 1% (relative) down to 0.1 mg. $\cdot 100$ ml. and only at about 0.02 level does the error rise to 5%. Detn. of dissolved O_2 : the Winkler method is modified in that the detn. of I by hyposulfite is replaced by the colorimetric method above; av. results are within 0.3% for 8-12 mg./l. range. Detn. of active Cl_2 : introduce a 100-ml. sample into acetate buffer (pH 4.5) contg. 0.5 g. KI , ext. with 10 ml. CHCl_3 or CCl_4 and proceed as above; results are within 0.01-0.08 mg./l. in the range of 0.8-3.0 mg. $\cdot 1$; if no other oxidizing agents are present, acidify the sample with 2 ml. 1:3 H_2SO_4 . G. M. Kosolapoff

Chair Hygiene, Leningrad Pediatric Med. Inst

7

Photocolorimetric method of determination of sugars
in solutions. M. I. Kulenok (Leningrad Pediat. Med.
Inst.), *Gigiena i Sanit.* 1949, No. 1, 34-6. Treat the
sample with Fehling soln. and dissolve the ppt. in am-
moniacal NiCl_2 soln. Measure the color in a photom-
eter with a yellow light filter. The best results are ob-
tained when about 0.1 mg. of Cu_2O is obtained from 1 ml.
of soln. with 10 cm. depth of soln. Results are within
0.5% of the truth. G. M. Kozlovskii

Photocolorimetric iodometry and its use in some analyses of natural waters. M. I. Kulenok (Leningrad Pediatric Med. Inst.). *Zhur. Anal. Khim.* 4, 248-54 (1949).—Analytical methods based on liberation of I from KI and titration of free I are greatly simplified by substituting photocolorimetric detn. of I for volumetric. The I in this case is extd. with an org. solvent such as CCl_4 or CHCl_3 , and the colorimetric detn. is made on the ext. Since the distribution of I between the aq. and org. phases is 1:85, 2-3 extrns. will transfer practically all of the I into the org. extractant. Photocolorimetric detns. made on CCl_4 solns. of I having concns. of 1.0×10^{-4} – $7.5 \times 10^{-4} N$ gave errors of 1.13×10^{-4} – 5.30×10^{-4} g. equiv. of I. Procedures for detg. dissolved O , active Cl, and sulfates by this method are outlined. M. Huseh

PULLEN M. I.

IA 151T44

USSR/Medicine - Food Analysis

Albumins

Nov 49

"New Colorimetric Method for Determining the Albumin Content of Food," M. I. Kulen, Chair of Hygiene, Leningrad Pediatric Med Inst, 3 3/4 pp

"Gig 1 San" No 11

This method ("Gig 1 San" No 5, 1946) uses usual colorimetric reaction but employs ammonium sulfate formed in mineralizing albumin by Kjeldahl's method. It can determine 0.0001 mg of ammonium in a 5-mg solution. Reaction is affected by small amounts of acid, but not by anions (except S²⁻) or by such

151T44

USSR/Medicine - Food Analysis (Contd) Nov 49

cations as: K, Na, Li, Mg, Ba, Ca, Sr, Al, Cr, Fe²⁺, Fe³⁺, Co, Ni, Mn, Zn, Ag, Pb, Hg²⁺, Bi, Cu, Cd, Sb, Sn, Au, Pt. The color is soluble in benzene, ether, etc. Substituting thymol for phenol (usual method) facilitates rapid passage of color from aqueous solutions to organic solvents--dye colors changing to fast red tints. This new method permits colorimetric study of dye extracts in organic solvents, inhibiting effect of alkaline ingredients and concentrating color from large volumes of aqueous solutions in small volumes of organic solvents.

151T44

CA

14

Photocolorimetric methods for determination of ammonia in drinking and waste water. M. I. Kulenok (Leningrad Pediat. Inst.). *Gigiena i Sanit.* 1950, No. 10, 45-9. --The photocolorimetry of NH_3 with Nessler's reagent in natural waters gives precision only with very thick layers of the soln. (12-15 cm.). Berthelot's method, using phenol-hypochlorite procedure, gives good results with a 6-cm. layer. Substitution of thymol for PhOH and hypobromite for hypochlorite permits examin. of colored solns., although the accuracy suffers seriously. G. M. Kosolapoff

KOLENOK, A. I.

1013. Conductimetric titration with a photoelectric colorimeter. *A. I. Kolenok (Leningrad Pediatric Medical Inst.). Zashch. Lab. 1955, 21 (9), 1027-1029.*—In the solution to be titrated are immersed within a shield two platinum disc electrodes, the distance between which can be varied in a vertical direction. The electrodes are connected in series with the lamp of a photocolormeter and during a titration act as a rheostat. The photocurrent read on the galvanometer is proportional to the third power of the change of the voltage of the current to the lamp. The principle of conductimetric titration based on this scheme is applicable to many types of reaction.

G. S. SMITH

KULENOK, M.I.

Using the photolorimetric method for determining the stability of natural waters with regard to changes of the oxidation-reduction potential. Gidrokhim. mat. 26:246-248 '57. (MLRA 10:8)

1. Leningradskiy gosudarstvennyy pediatricheskiy meditsinskiy institut.

(Photolorimetre) (Water--Analysis)
(Oxidation-reduction reaction)

AUTHOR: Kulenok, M. I. SOV/156-58-4-20/49

TITLE: Compensation Variant of Photocolorimetric pH Determination
(Kompensatsionnyy variant fotokolorimetricheskogo opredeleniya pH)

PERIODICAL: Nauchnyye doklady vysshey shkoly. Khimiya i khimicheskaya tekhnologiya, 1958, Nr 4, pp 693-695 (USSR)

ABSTRACT: A new variant of the colorimetric pH determination of a solution was described. The method was applied to the determination of the pH-value within the range of from 8.0 to 10.0, using a carbonate-borate buffer solution. The determination of the pH-value is carried out by means of the colorimetric photometer (FEK-M). Other buffer systems and indicators were used for other ranges of the pH determination. The compensation variant for the photometric determination of the pH-value is specially suited for series determinations. A parallel determination of the pH-value with some solutions was carried out according to the electrometric and the new photometric compensation method. From the results obtained it may be concluded that the scattering of the values is not > 0.01 pH units. The new compensation method is said to be highly sensitive and reliable.

Card 1/2

SOV/156-58-4-20/49

Compensation Variant of Photocolorimetric pH Determination

There are 2 tables and 8 references, 6 of which are Soviet.

ASSOCIATION: Kafedra obshchey khimii Leningradskogo pediatricheskogo
meditsinskogo instituta (Chair of General Chemistry at the
Leningrad Institute of Pediatric Medicine)

SUBMITTED: April 28, 1958

Card 2/2

KULENOK, N.I.

Iodometric methods ending in spectrophotometry. Trudy kom. anal.
khim. 8:210-216 '58. (MIRA 11:8)

1. Leningradskiy pediatricheskiy meditsinskiy institut.
(Iodometry) (Spectrophotometry)

SOV/156-59-2-21/48

5(2)

AUTHOR:

Kulenok, M. I.

TITLE:

A Carbonate Method for the Determination of Small Quantities of Carbon Dioxide in Air and Gas Mixtures (Karbonatnyy metod opredeleniya nebol'shikh kolichestv dvukisi ugleroda v vozdukhe i gazovykh smesyakh)

PERIODICAL: Nauchnyye doklady vysshey shkoly. Khimiya i khimicheskaya tekhnologiya, 1959, Nr 2, pp 302-304 (USSR)

ABSTRACT:

The method is based upon the transformation of sodium carbonate into sodium bicarbonate in aqueous solution by carbon dioxide and the change of the pH-number occurring in this connection which may be determined electronically or spectrophotometrically or photolorimetrically by means of an indicator. The ranges of the pH-number due to hydrolysis of carbonate or bicarbonate are between 11.39 (in the case of Na_2CO_3) and 8.2 (in the case of NaHCO_3). Cresol phthalein (pH 8.2 - 9.8) and phenol phthalein (pH 8.2 - 11.0) are recommended as the best indicators serving this purpose. As the ranges of the indicators do not reach the upper limit of the possible pH-number (11.39) the gas sample is shaken

Card 1/2

A Carbonate Method for the Determination of Small Quantities of Carbon Dioxide in Air and Gas Mixtures

SOV/156-59-2-21/48

thoroughly not with pure sodium carbonate but with a mixture 1 : 1 of sodium carbonate- and sodiumbicarbonate solution. The calibration curve for the dependence of the optical density of the indicator color upon the Na_2CO_3 concentration is shown by a figure for both indicators. Table 1 shows the spectral characteristics of both indicators, table 2 the results of analyses as compared to those of the conductometric method of the LIOT (Leningradskiy institut okhrany truda - Leningrad Institute for Worker Protection). There are 1 figure, 2 tables, and 3 Soviet references.

PRESENTED BY: Kafedra obshchey khimii Leningradskogo pediatricheskogo meditsinskogo instituta
(Chair of General Chemistry, Leningrad Institute of Pediatric Medicine)

SUBMITTED: October 30, 1958

Card 2/2

KULENOK, M.I.

Spectrophotometric study of thymol-hypobromite reaction for ammonia.
Izv.vys.ucheb.zav.;khim.i khim.tekh. 4 no.4:558-560 '61.

(MIRA 15:1)

1. Leningradskiy pediatricheskiy meditsinskiy institut, kafedra
obshchey i neorganicheskoy khimii.

(Ammonia) (Spectrophotometry)

"APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000927410008-0

APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000927410008-0"

KULEMOV, K.K., inzh.; ZORIN, M.I., inzh.-meliorator; DASHKOVSKAYA, L.T., rybovod; GUDYM, L.M.; KONOVALOV, D.N., rybovod; KOTIKOV, A.P., inzh.; ROZHKOV, N., red.; PRIKHOD'KO, S., red.; OLEYNIKOV, A., red.; ZLOBIN, M., tekhn. red.

[Fishery resources of Kazakhstan; a manual for fishermen] Rybnye bogatstva Kazakhstana; spravochnik rybaka. Alma-Ata, Kazgosizdat, 1963. 262 p. (MIRA 17:2)

1. Glavnyy spetsialist otдела pishchevoy promyshlennosti Gosudarstvennogo Komiteta Soveta Ministrov Kazakhskoy SSR po koordinatsii nauchnykh i tekhnicheskikh rabot (for Gudym).

YERMOLAYEV, K.F.; KULENOV, Kh.Kh.; SHCHEGLOVA, O.A.

Methods of making quality-geometric map of complex metal deposits.
Trudy Akad. Nauk Kazakh SSR 12:102-109 '62. (MIRA 15:8)
(Ore deposits-Maps)

Yul'ko, A.V., E.F.; *ibid.* 1965.

Hypogenic gold in the complex metal ores of the Ionitogorsk
deposit group. Izv. AN Kazakh. SSR. Ser.geol. 22 no.2:57-60
Mr.-Ap '65. (MIRA 18:5)

1. Al'tayskiy otdel Instituta geologicheskikh nauk imeni Sulp'yeva,
gorod Ust'-Kamenogorsk.

KULENOVIC, E.

Extent of the Silurian in the Paleozoic area of Sana River, Geol
glas BiH 9:163-167 '64.

BRITVIC, M.; KOSTIC, M.; KULENOVIC, H.; PAVLOVIC, M.

Considerations on certain aspects of mediastinal adenopathies in adults. Tuberkuloza, Beogr. 12 no.2:186-193 '60.

1. Klinika za plucne bolesti VMA JNA, Beograd (nacelnik: puk.prof. dr. J.Studic)

(LYMPH NODES dis)

(MEDIASTINUM dis)

KULENOVIC, Jajro potpukovnik d-r.

The results of cold agglutination in various forms of pulmonary tuberculosis. Voj.san.pregl., Beogr. 12 no.5-6:256-259 May-June '55.

1. Klinika za grudne bolesti VMA

(AGGLUTINATION,

cold, in diag. of pulm. tuberc., results(Ser))

(TUBERCULOSIS, PULMONARY, diag.

cold agglut.test, results (Ser))

REZAKOVIC,Dz.,d-r; KULENOVIC,S.,d-r; POPOVIC,V.,d-r

Clinical contribution to the abdominal form of Hodgkin's disease.
Med. arh.,Sarajevo 13 no.6:107-112 N-D '59.

1. II. Interna klinika Medicinskog fakulteta u Sarajevu, sef:
prof. d-r Simic.

(STOMACH NEOPLASMS)

(HODGKIN'S DISEASE)

REZAKOVIC; KULENOVIC, S.; AKSAMIJA, B.

Mediastino-pulmonary changes in Hodgkin's disease. Med.arh., Sarajevo
14 no.6:73-84 N-D '60.

1. II Interna klinika Medicinskog fakulteta u Sarajevu (Sef: prof.
d-r Miron Simic)
(HODGKIN'S DISEASE pathol)
(MEDIATINUM pathol)
(LUNGS pathol)

MULENOVIC-JANKOVIC, R.

"The Synergism and Antagonism of Antibiotics." p. 49. (Voices of the Front.
Military-Medical Review, Vol. 10, no. 1/2, Jan/Feb. 1953. Belgrad)

SO: Monthly List of East European Accessions. Vol. 3, no. 3. Library of Congress. March 1954.
Uncl.

BAGDASARYAN, Kh.S., KULER, A.L.

Quantitative test of theory of resonance energy transfer,
allowance made for Brownian motion. Opt. i spektr. 18
no.6:990-998 Je '65. (MIRA 18:12)

KISS, Istvan; KULES, Inna

Liquid-vapor equilibrium of the diphenyl-diphenyloxide system. Koz
fiz kozl MTA 9 no.5/6:317-322 '61.

1. "Magyar Tudományos Akadémia Központi Fizikai Kutató Intézetének
Közleményei" szerkesztő bizottsági tagja. (for Kiss).

KUIĚSK, Vojtech

Mechanization of excess sand removal from molds on sand blasting line. Slevarenství 12 no.9:364 S '64.

1. Tovarny na obratěci stroje, Kurim.

1. KULESH, A. P.
2. USSR (600)
4. Eye
7. Shortcomings in the exposition of the anatomy and physiology of the eye in A. A. Markosyan's textbook "Normal physiology." Fel'd. i akush no. 11, 1952.

9. Monthly List of Russian Accessions, Library of Congress, February 1953. Unclassified.